

Comisiwn Bevan Commission

Going for Gold

Prof. Ilora Baroness Finlay of Llandaff











As the light fades

- Where we have come from
- What lies ahead


- The NHS
- Congratulations to all GSF



Most common cause of male death:




Most common cause of female death:




Source: 21st century mortality files, ONS

and 20th century mortality files, ONS

Tuberculosis







1916, 1950s Polio epidemics ... pre-Salk major cause of paralysis






Dying after stroke

- Acute massive stroke
- Late complications / resultant disorders
- Prognosis is unpredictable

Two Types of Stroke



1967




"You matter because you are you, and you matter to the last moment of your life.


We will do all we can, not only to help you die peacefully, but also live until you die."

Dame Cicely Saunders (1918-2005)

"It is obviously preferable to prevent suffering than to alleviate it."



tool definitions: Phase V 1.2 December 2008



Morphine titration

Overdose: signs of sedation Plasma concentration of Therapeutic zone morphine Underdosing Time

Connecting PCA

Respiratory depression

Palliative care – developed world

Science of helping dying patients live as fully as possible with our humanity and kindness

For most people, dying is not a sudden presence of death, but a gentle absence of life.

What happens as you die of progressive disease

- Increasingly weary
- Often a final burst of energy / activity in last days
- Drowsy and weak
- Slip into a coma
- Breathing slows may sound bubbly
- Breathing more shallow, pulse weaker
- Colour changes and pulse weakens
- Heart and breathing stop





COVID-19: Caring for a dying relative at home

Published: Apr 06, 2021

Authors: Baroness Ilora Finlay, Bevan Commissioner, Lesley Bethell, Bevan Advocate

Download


Recognition that death imminent

100% Cancer centre

• 64% General hospital trust

- Warning family?
- Provide appropriate care; stop some interventions
- Visit while it can be meaningful, even if that means missing the funeral

'The quality of life gap'




Dignity is having a sense of personal worth

Dame Cicely Saunders 1992


In place of fear - listening – what matters to the person?



A treatment needs consent You cannot be treated against your will



Motor neurone disease



Euthanasia / physician assisted suicide/ Assisted suicide



Consent to treatment



Doctor's role - provide information

Relevant, Understandable, Honest, Respectful, Recognise uncertainty,




CONSENT is given by the person or parent on behalf of child



Treatment started with an aim – communicate at all stages – withdrawal of treatment requires joint planning

Autonomy of one cannot override the autonomy of another



Roest B, Trappenburg M, Leget C https://doi.org/10.1186/s12910-019-0361-2

Children

Childhood Bereavement Network


 The way a person dies lives on in the memory of those left behind





Health and Care Act.

Clause 16
 Integrated care boards: functions



Health and Care Bill – from my amendment

• insert— "(ga) such other services or facilities for palliative care as the board considers are appropriate as part of the health service,"

Member's explanatory statement

This amendment would specifically require integrated care boards to commission such services or facilities for palliative care (including specialist palliative care) as they consider appropriate for meeting the reasonable requirements of the people for whom they have responsibility.

"specialist multi-professional palliative care services" must include supp

in every setting

beds when required, including urgent admission advice at all times of day every day, skilled workforce, equipment and medication point of contact share information about needs, open conversations about what matters to them, education and training relevant research and disseminate evidence-based

2Al days on sive a days centred Rapidly response centred Person centred



Keep the patient at the centre of all you do